index '80

ACTIVATED CARBON
Eliminate taste and odor problems caused by algae . . . . . May 67
Wastewater reuse in Saudi Arabia: the new oasis . . . . . June 28
Design features GAC & more . . . . . July 40
Weigh the organics control alternatives . . . . . Sept. 36

ADVANCED WASTE TREATMENT
Indirect water reuse problems can be solved at reasonable costs . . . . . May 20
Coordinate plant start-ups early . . . . . June 42
Las Vegas bets on a sure winner . . . . Sept. 16
Plow sludge under . . . . . Sept. 60

AERATION
Determine sludge age with clarifier solids . . . . . April 30
Industrial waste treatment plant upgrades in steps . . . . . May 70
Take advantage of natural depressions . . . . . July 45
Understand wastewater treatment chemical processes . . . . . Aug. 20
Harness the wind for aeration . . . . . Sept. 25
Component mix meets town standards . . . . . Nov. 36
Explore the benefits of distributed control . . . . . Dec. 14

ALGAE PROBLEMS
Eliminate taste and odor problems caused by algae . . . . . May 67
Reduce lagoon algae problems with coagulants . . . . . June 19

AUTOMATION
Versatile computer controls Atlanta's water distribution . . . . . May 16
Design telemetry systems within channel limitations . . . . . May 28
Wastewater treatment plant works overtime . . . . . Sept. 70
New day DAWNs for California water . Oct. 39
Explore the benefits of distributed control . . . . . Dec. 14

CHEMICALS
Prevent groundwater contamination before it's too late . . . . . Feb. 30
Problems plague hazardous waste disposal . . . . . Feb. 54
How to cope with the SDWA/II . . . . . May 33
Nassau County removes target metals from wastewater . . . . . May 38
Eliminate taste and odor problems caused by algae . . . . . May 67
Reduce lagoon algae problems with coagulants . . . . . June 19
Wastewater reuse in Saudi Arabia: the new oasis . . . . . June 28
Coordinate plant start-ups early . . . . . June 42
Design features GAC & more . . . . . July 40
Understand wastewater treatment chemical processes . . . . . Aug. 20
Wastewater chemical affects plant growth . . . . . Aug. 33
Weigh the organics control alternatives . . . . . Sept. 36

CLARIFICATION
Determine sludge age with clarifier solids . . . . . April 30
Industrial waste treatment plant upgrades in steps . . . . . May 70
Wastewater chemical affects plant growth . . . . . Aug. 33

COLLECTION SYSTEMS
Improve I-I/SSES accuracy and cut costs . . . . . July 29
Consider non-metallic chain's proven advantages . . . . . Aug. 26
Las Vegas bets on a sure winner . . . . Sept. 16
Wastewater treatment plant works overtime . . . . . Sept. 70

COMPUTERS
Denver trains sewage control staff in computerized system . . . . . March 21
Computerizing breakdowns may improve wastewater treatment equipment . . . . . March 26
Versatile computer controls Atlanta's water distribution . . . . . May 16
New day DAWNs for California water . Oct. 39
Innovation simplifies construction and treatment . . . . . Nov. 25

CONSTRUCTION
Erie County plant cuts construction costs . . . . . Jan. 16
Additional water incites community growth . . . . . May 60
Disposal wells really can work . . . . . July 20
Innovation simplifies construction and treatment . . . . . Nov. 25
Wetlands irrigation aids man and nature . . . . . Nov. 28
Component mix meets town standards . . . . . Nov. 36
Outlet works design ensures safety . . Nov. 44
Playground and WTP are good neighbors . . . . . Nov. 47

COST DATA
Energy/cost conservation seen as future sludge trend . . . . . April 23
Indirect water reuse problems can be solved at reasonable costs . . . . . May 20
Eliminate taste and odor problems caused by algae . . . . . May 67
Funding—an evaporating resource . . . June 24
Wastewater reuse in Saudi Arabia: the new oasis . . . . . June 28
Improve I-I/SSES accuracy and cut costs . . . . . July 29
Design features GAC & more . . . . . July 40
Toronto turns sludge into energy . . . . . Aug. 16
Energy conservation is a dire necessity . . . . . Aug. 28
Las Vegas bets on a sure winner . . . . Sept. 16
Weigh the organics control alternatives . . . . . Sept. 36
Cut O&M costs through value engineering . . . . . Sept. 58
Consider the many reasons for reuse . . . . . Sept. 74
Compare nitrate removal methods . . . Dec. 26

DAMS
Pumped storage project builds energy security . . . . . Oct. 16
Outlet works design ensures safety . . Nov. 44

DESIGN
Erie County plant cuts construction costs . . . . . Jan. 16
O&M deficiencies in wastewater systems can be solved . . . . . Jan. 30
Toxic control—the trend of the future . . . . . Feb. 21
New facilities serve dual community role . . . . . March 16
Outfall systems can achieve safe effluent levels . . . . . March 30
Additional water incites community growth . . . . . May 60
Eliminate taste and odor problems caused by algae . . . . . May 67
Industrial waste treatment plant upgrades in steps . . . . . May 70
W&WE judges combine 134 years of experience . . . . . June 22
Well solves water shortage, preserves scenic river . . . . . June 40
Cooperation forms foundation for WWTP growth . . . . . June 44
Why is Rotunda still an RO success? . . July 24
Design features GAC & more . . . . . July 40
Small city requires large WWTP . . . . . July 42
Take advantage of natural depressions . . . . . July 45
Wastewater treatment plant works overtime . . . . . Sept. 70
Pumped storage project builds energy security . . . . . Oct. 16
New day DAWNs for California water . Oct. 39
This expanded WWTP controls odors, handles wet-weather flows, and makes the most of existing facilities . . . . . Nov. 16
Innovation simplifies construction and treatment . . . . . Nov. 25
Wetlands irrigation aids man and nature . . . . . Nov. 28
Cost-efficient design solves town's problem . . . . . Nov. 32
Component mix meets town standards . . . . . Nov. 36
Outlet works design ensures safety . . Nov. 44
Playground and WTP are good neighbors . . . . . Nov. 47
Explore the benefits of distributed control . . . . . Dec. 14
Storm sewer redesigned for added capacity . . . . . Dec. 32

DISINFECTION
Economically remove toxics . . . . . Feb. 43
Understand wastewater treatment chemical processes . . . . . Aug. 20

EDITORIALS
EPA . . . please listen and act . . . . . Jan. 15
Followup on criteria needed . . . . . Feb. 15
Sad . . . sad . . . sad . . . . . March 15
Rock around the clock . . . . . April 17
"Away on an ocean wave . . ." . . . . . May 15
Apple pie is better than self destruction . . . . . June 15
Cheers for the TTHM law suit . . . . . July 19
Time is running out for many small water companies . . . . . Aug. 15
AWT—worthwhile at any price? . . . . Sept. 15
Damn the facts . . . full speed ahead . . Oct. 15
More EPA nonsense! . . . . . Nov. 13
Why it pays to complain . . . . . Dec. 13

ENERGY
Energy/cost conservation seen as future sludge trend . . . . . April 23
Use renewable energy in wastewater treatment . . . . . April 36
Toronto turns sludge into energy . . . . . Aug. 16
Energy conservation is a dire necessity . . . . . Aug. 28
Las Vegas bets on a sure winner . . . . Sept. 16
Harness the wind for aeration . . . . . Sept. 25
Cut O&M costs through value engineering . . . . . Sept. 58
Pumped storage project builds energy security . . . . . Oct. 16

ENGINEERING
Temporary installation reduces sewer failure problems . . . . . Jan. 25
W&WE judges combine 134 years of experience . . . . . June 22
Wastewater reuse in Saudi Arabia: the new oasis . . . . . June 28
Fluidized beds improve treatment, cut costs . . . . . June 35
Well solves water shortage, preserves scenic river . . . . . June 40
Cooperation forms foundation for WWTP growth . . . . . June 44
Disposal wells really can work . . . . . July 20
Design features GAC & more . . . . . July 40
Cut O&M costs through value engineering . . . . . Sept. 58
Pumped storage project builds energy security . . . . . Oct. 16
Figure it out! . . . . . Oct. 44

ENVIRONMENTAL PROTECTION
Federal industrial pretreatment program: Wonderland revisited . . . . . Feb. 16
Effluent creates an oasis in Nevada . . Sept. 22
Plow sludge under . . . . . Sept. 60

EQUIPMENT
Temporary installation reduces sewer failure problems . . . . . Jan. 25
Computerizing breakdowns may improve wastewater treatment equipment . . . . . March 26
Versatile computer controls Atlanta's water distribution . . . . . May 16
Well solves water shortage, preserves scenic river . . . . . June 40
Keep digesters clean . . . . . July 37
Small city requires large WWTP . . . . . July 42
How can CE's improve O&M . . . . . Oct. 30
Anticipate pipe freeze-ups . . . . . Oct. 34
Component mix meets town standards . . . . . Nov. 36

FILTRATION
Fluidized beds improve treatment, cut costs . . . . . June 35

Wastewater chemical affects plant growth ..... Aug. 33
Flow equalize *all* influent ..... Oct. 20

FLOOD CONTROL
Cooperation forms foundation for WWTP growth ..... June 44
Flow equalize *all* influent ..... Oct. 20
Storm sewer redesigned for added capacity ..... Dec. 32

GOVERNMENT REGULATION
New procedures can aid WWTP efficiency ..... Jan. 34
Get the public involved in planning ... Jan. 36
Federal industrial pretreatment program: Wonderland revisited ..... Feb. 16
Toxic control—the trend of the future ..... Feb. 21
Problems plague hazardous waste disposal ..... Feb. 54
Outfall systems can achieve safe effluent levels ..... March 30
How to cope with the SDWA/I ..... April 18
EPA puts emergency water provisions into action ..... April 40
How to cope with the SDWA/II ..... May 33
Nassau County removes target metals from wastewater ..... May 38
How safe are your sewage wet wells? ..... June 16
Funding—an evaporating resource ... June 24
Federal WATER programs need a better balance ..... Sept. 30
Wastewater treatment plant works overtime ..... Sept. 70
Challenges we face with the Clean Water program ..... Dec. 18

HYDRAULICS
How high do the waters flow? ..... July 52

INFILTRATION
Disposal wells really can work ..... July 20
Improve I-I/SSES accuracy and cut costs ..... July 29
Flow equalize *all* influent ..... Oct. 20
Don't underestimate urban runoff problems ..... Oct. 48
Cost-efficient design solves town's problem ..... Nov. 32

IRRIGATION
Plow sludge under ..... Sept. 60
Wetlands irrigation aids man and nature ..... Nov. 28

INSTRUMENTATION
Denver trains sewage control staff in computerized system ..... March 21
Versatile computer controls Atlanta's water distribution ..... May 16
Design telemetry systems within channel limitations ..... May 28
Choose the right flowmeter ..... Oct. 24

INTERCEPTORS
Orlando's variable-rate pumping stations save money ..... Jan. 20

JOINT TREATMENT
Problem plague hazardous waste disposal ..... Feb. 54
Cooperation forms foundation for WWTP growth ..... June 44

LAND APPLICATION
Problems plague hazardous waste disposal ..... Feb. 54
Energy/cost conservation seen as future sludge trend ..... April 23
Industrial waste treatment plant upgrades in steps ..... May 70
Toronto turns sludge into energy ..... Aug. 16
Plow sludge under ..... Sept. 60

LEGISLATION
Computerizing breakdowns may improve wastewater treatment equipment ..... March 26
Federal WATER programs need a better balance ..... Sept. 30

MANAGEMENT
Get the public involved in planning ... Jan. 36
Federal WATER programs need a better balance ..... Sept. 30
Cut O&M costs through value engineering ..... Sept. 58
How can CE's improve O&M? ..... Oct. 30

MEASUREMENT
Choose the right flowmeter ..... Oct. 24

MONITORING
How to cope with the SDWA/I ..... April 18
EPA puts emergency water provisions into action ..... April 40
How to cope with the SDWA/II ..... May 33
Improve I-I/SSES accuracy and cut costs ..... July 29

NITRIFICATION
Toxic control—the trend of the future ..... Feb. 21
Compare nitrate removal methods ... Dec. 26

ODOR CONTROL
Eliminate taste and odor problems caused by algae ..... May 67
Keep digesters clean ..... July 37
Harness the wind for aeration ..... Sept. 25
Plow sludge under ..... Sept. 60
This expanded WWTP controls odors, handles wet-weather flows, and makes the most of existing facilities. ..... Nov. 16
Cost-efficient design solves town's problem ..... Nov. 32

OPERATIONS/MAINTENANCE
Orlando's variable rate pumping stations save money ..... Jan. 20
Temporary installation reduces sewer failure problems ..... Jan. 25
O&M deficiencies in wastewater systems can be solved ..... Jan. 30
New procedures can aid WWTP efficiency ..... Jan. 34
Denver trains sewage control staff in computerized system ..... March 21
Coordinate plant start-ups early ..... June 24
Why is Rotunda still an RO success? .. July 24
Keep digesters clean ..... July 37
Consider non-metallic chain's proven advantages ..... Aug. 26
Energy conservation is a dire necessity ..... Aug. 28
Who's to blame for bad O&M? ..... Sept. 46
Cut O&M costs through value engineering ..... Sept. 58
How can CE's improve O&M? ..... Oct. 30

OPINION/COMMENT
Computerizing breakdowns may improve wastewater treatment equipment ..... March 26
How safe are your sewage wet wells? ..... June 16
Who's to blame for bad O&M? ..... Sept. 46

PERSONNEL MANAGEMENT
O&M deficiencies in wastewater systems can be solved ..... Jan. 30
Denver trains sewage control staff in computerized system ..... March 21
Coordinate plant start-ups early ..... June 42
Who's to blame for bad O&M? ..... Sept. 46

PIPE
Additional water incites community growth ..... May 60
Anticipate pipe freeze-ups ..... Oct. 34
Figure it out! ..... Oct. 44

PLANNING
Get the public involved in planning ... Jan. 36
Effluent creates an oasis in Nevada .. Sept. 22
Playground and WTP are good neighbors ..... Nov. 47

POLLUTION CONTROL
Prevent groundwater contamination before it's too late ..... Feb. 30
Economically remove toxics ..... Feb. 43
Problems plague hazardous waste disposal ..... Feb. 54
Nassau County removes target metals from wastewater ..... May 38
Disposal wells really can work ..... July 20
Don't underestimate urban run off problems ..... Oct. 48
This expanded WWTP controls odors, handles wet-weather flows, and makes the most of existing facilities ..... Nov. 16
Challenges we face with the Clean Water program ..... Dec. 18

PUMPS & PUMPING
Orlando's variable-rate pumping stations save money ..... Jan. 20
How safe are your sewage wet wells? ..... June 16
Wastewater treatment plant works overtime ..... Sept. 70
Pumped storage project builds energy security ..... Oct. 16
Figure it out! ..... Oct. 44

PRODUCT/PROCESS DEVELOPMENT
Polymers peak at precise dosage .. March 39
Use renewable energy in wastewater treatment ..... April 36
Centrifuges boost sludge handling capacity ..... April 38
Nassau County removes target metals from wastewater ..... May 38
Eliminate taste and odor problems caused by algae ..... May 67
Fluidized beds improve treatment, cut costs ..... June 35
Why is Rotunda still an RO success? .. July 24
Improve I-I/SSES accuracy and cut costs ..... July 29
Take advantage of natural depressions . July 45
Improve RO pretreatment ..... July 47
Consider non-metallic chain's proven advantages ..... Aug. 26
Harness the wind for aeration ..... Sept. 25
Choose the right flowmeter ..... Oct. 24
Anticipate pipe freeze-ups ..... Oct. 34

RESEARCH
The weather report predicts rain ..... Jan. 39
Extract heavy metals via liquid-ion exchange ..... Feb. 36
Economically remove toxics ..... Feb. 43
Determine sludge age with clarifier solids ..... April 30
Use renewable energy in wastewater treatment ..... April 36
Design telemetry systems within channel limitations ..... May 28
Improve RO pretreatment ..... July 47
How high do the waters flow? ..... July 52
Understand wastewater treatment chemical processes ..... Aug. 20
Wastewater chemical affects plant growth ..... Aug. 33
Figure it out! ..... Oct. 44
Don't underestimate urban runoff problems ..... Oct. 48

RESERVOIRS
Additional water incites community growth ..... May 60
Pumped storage project builds energy security ..... Oct. 16
Outlet works design ensures safety .. Nov. 44

REUSE
Indirect water reuse problems can be solved at reasonable costs ..... May 20
Wastewater reuse in Saudi Arabia: the new oasis ..... June 28
Effluent creates an oasis in Nevada .. Sept. 22
Weigh organics control alternatives .. Sept. 36
Consider the many reasons for reuse . Sept. 74
This expanded WWTP controls odors, handles wet-weather flows, and makes the most of existing facilities ..... Nov. 16

SAFETY
How safe are your sewage wet wells? . June 16
Outlet works design ensures safety .. Nov. 44

SEDIMENT PONDS
Reduce lagoon algae problems with coagulants ..... June 19
Take advantage of natural depressions . July 45
Consider non-metallic chain's proven advantages ..... Aug. 20
Harness the wind for aeration ..... Sept. 25

SEWERS
Temporary installation reduces sewer failure problems ..... Jan. 25
Federal industrial pretreatment program: Wonderland revisited ..... Feb. 16
Improve I-I/SSES accuracy and cut costs ..... July 29
Keep digesters clean ..... July 37
Storm sewer redesigned for added capacity ..... Dec. 32

SLUDGE CONDITIONING
Toronto turns sludge into energy ..... Aug. 16
Energy Conservation is dire necessity . Aug. 28

SLUDGE DISPOSAL
Extract heavy metals via liquid-ion exchange ..... Feb. 36
Toronto turns sludge into energy ..... Aug. 16
Plow sludge under ..... Sept. 60

SLUDGE HANDLING
Polymers peak at precise damage .. March 39
Energy/cost conservation seen as future sludge trend ..... April 23
Determine sludge age with clarifier solids ..... April 30

Centrifuges boost sludge handling capacity . . . April 38
Cost-efficient design solves town's problem . . . Nov. 32

SLUDGE TREATMENT
Toxic control—the trend of the future . Feb. 21
New facilities serve dual community role . . . March 16
Industrial waste treatment plant upgrades in steps . . . May 70
Design features GAC & more . . . July 40
Small city requires large WWTP . . . July 42
Wastewater chemical affects plant growth . . . Aug. 33

STORAGE
Pumped storage project builds energy security . . . Oct. 16

TESTING
Extract heavy metals via liquid ion exchange . . . Feb. 36
How to cope with the SDWA/I . . . April 18
How to cope with the SDWA/II . . . May 33
Nassau County removes target metals from wastewater . . . May 38
Reduce lagoon algae problems with coagulants . . . June 19
Disposal wells really can work . . . July 20
Consider non-metallic chains's proven advantages . . . Aug. 26

WASTEWATER DISPOSAL
Federal industrial pretreatment program: Wonderland revisited . . . Feb. 16
Extract heavy metals via liquid-ion exchange . . . Feb. 36
Outfall systems can achieve safe effluent levels . . . March 30
Disposal wells really can work . . . July 20
Effluent creates an oasis in Nevada . . Sept. 22

WASTEWATER
Prevent ground water contamination before it's too late . . . Feb. 30
Energy/cost conservation seen as future sludge trend . . . April 23
Wastewater reuse in Saudi Arabia: the new oasis . . . June 28
Wastewater chemical affects plant growth . . . Aug. 33
Consider the many reasons for reuse . Sept. 74

WASTEWATER TREATMENT
Erie County plants cuts construction costs . . . Jan. 16
O&M deficiencies in wastewater systems can be solved . . . Jan. 30
Orlando's variable-rate pumping stations save money . . . Jan. 20
New procedures can aid WWTP efficiency . . . Jan. 34
Get the public involved in planning . . . Jan. 36
Federal industrial pretreatment program: Wonderland revisited . . . Feb. 16
Toxic control—the trend of the future . Feb. 21
New facilities serve dual community role . . . March 16
Denver trains sewage control staff in computerized system . . . March 21
Computerizing breakdowns may improve wastewater treatment equipment . March 26
Outfall systems can achieve safe effluent levels . . . March 30
Use renewable energy in wastewater treatment . . . April 36
Centrifuges boost sludge handling capacity . . . April 38
Indirect water reuse problems can be solved at reasonable costs . . . May 20
Nassau County removes target metals from wastewater . . . May 38
How safe are your sewage wet wells? . June 16
Reduce lagoon algae problems with coagulants . . . June 19
Fluidized beds improve treatment, cut costs . . . June 35
Cooperation forms foundation for WWTP growth . . . June 44
Design features GAC & more . . . July 40
Small city requires large WWTP . . . July 42
Take advantage of natural depressions . July 45
Understand wastewater treatment chemical processes . . . Aug. 20
Energy conservation is dire necessity . Aug. 28
Las Vegas bets on a sure winner . . . Sept. 16
Harness the wind for aeration . . . Sept. 25
Who's to blame for bad O&M? . . . Sept. 46
Cut O&M costs through value engineering . . . Sept. 58
Wastewater treatment plant works overtime . . . Sept. 70
Flow equalize *all* influent . . . Oct. 20
Choose the right flowmeter . . . Oct. 24
This expanded WWTP controls odors, handles wet-weather flows, and makes the most of existing facilities . . . Nov. 16
Innovation simplifies construction and treatment . . . Nov. 25
Wetlands irrigation aids man and nature . . . Nov. 28
Cost-efficient design solves town's problem . . . Nov. 32
Component mix meets town standards . . . Nov. 36
Explore benefits of distributed control . Dec. 14

WATER POLLUTION
Funding—an evaporating resource . . . June 24

WATER POLICY
Federal WATER programs needs a better balance . . . Sept. 30
Challenges we face with the Clean Water program . . . Dec. 18

WATER POLLUTION CONTROL
Federal industrial pretreatment program: Wonderland revisited . . . Feb. 16
Energy/cost conservation seen as future sludge trend . . . April 23
EPA puts emergency water provisions into action . . . April 40
Funding—an evaporating resource . . . June 24
Consider many reasons for reuse . . . . Sept. 74
Don't underestimate urban runoff problems . . . Oct. 48

WATER QUALITY
How to cope with the SDWA/I . . . April 18
EPA puts emergency water provisions into action . . . April 40
Improve RO pretreatment . . . July 47
Las Vegas bets on a sure winner . . . . Sept. 16
Effluent creates an oasis in Nevada . . Sept. 22
Federal WATER programs need a better balance . . . Sept. 30
Weigh organics control alternatives . . Sept. 36
Consider many reasons for reuse . . . . Sept. 74

WATER RESOURCES
Prevent ground water contamination before it's too late . . . Feb. 30
How high do the waters flow? . . . July 52

WATER SUPPLY
Erie County plant cuts construction cost . . . Jan. 16
The weather report predicts rain . . . . Jan. 39
How to cope with the SDWA/I . . . April 18
Versatile computer controls Atlanta's water distribution . . . May 16
How to cope with the SDWA/II . . . May 33
Well solves water shortage, preserves scenic river . . . June 40
Consider the many reasons for reuse . Sept. 74
Anticipate pipe freeze-ups . . . Oct. 34
Outlet works design ensures safety . . Nov. 44
Storm sewer redesigned for added capacity . . . Dec. 32

WATER TREATMENT
Get the public involved in planning . . . Jan. 36
ERA puts emergency water provisions into action . . . April 40
Indirect water reuse problems can be solved at reasonable costs . . . May 20
How to cope with the SDWA/II . . . May 33
Additional water incites community growth . . . May 60
Eliminate taste and odor problems caused by algae . . . May 67
Why is Rotunda still an RO success? . . July 24
Weigh organics control alternatives . . Sept. 36
Choose the right flowmeter . . . Oct. 24
New day DAWNs for California water . Oct. 39
Playground WTP are good neighbors . . Nov. 47
Compare nitrate removal methods . . . Dec. 26

Authors
Amy, Vincent P. . . . July 20
Baker, Roger P. . . . Nov. 47
Baran, T. M. . . . May 16
Barbara, Michael . . . June 35
Block, Bill . . . Oct. 34
Bouck, David W. . . . Jan. 16
Brown, A. E. . . . Oct. 24
Caicedo, Eduardo . . . Oct. 30
Caplan, F. . . . Oct. 44
Carpenter, Reed H. . . . June 16
Cass, Leonard . . . June 16
Cornstock, Daniel . . . July 47
Cooperwasser, Victor I. . . . Jan. 34
Cornwell, David A. . . . Feb. 36
Cowden, Cecil L. . . . June 40
Cullinane, M. John . . . June 19
Culp, Gordon L. . . . Sept. 16
Culp, Russell L. . . . May 20
Day, A. D. . . . Aug. 33
DaSilva, Paul . . . Aug. 16
Dedinsky, Henry . . . Aug. 26
DiGennaro, Lisa J. . . . Sept. 36
Dunbar, Gary A. . . . March 16
Ericson, W. A. . . . Feb. 21
Farmer, Edward J. . . . May 28
Faust, Barbara . . . April 40
Field, Richard . . . Oct. 48
Flood, Frank . . . June 35
Foess, G. W. . . . Feb. 21
Freeman, Peter A. . . . Sept. 25
Fritch, Gene H. . . . Sept. 72
Gennrich, John A. . . . Nov. 40
Gidlow, Brien N. . . . Nov. 25
Gilbert, Jerome B. . . . Sept. 16
Gillen, Brien D. . . . May 38
Gipps, Margaret M. . . . Nov. 40
Goetz Jr., Henry F. . . . Jan. 40, July 52
Golodetz, Denise . . . April 23
Goodman, Steven . . . Nov. 32
Hardan, David L. . . . Oct. 39
Hayes, Robert M. . . . June 42
Heckroth, Charles W. . . . Jan. 15, Feb. 15, March 15, April 17, May 15, June 15, July 19, Aug. 15, Sept. 15, Sept. 30, Oct. 15, Nov. 13, Dec. 13, Dec. 18
Jenks, John H. . . . Nov. 16
Jeris, John . . . June 35
Kalinske, Anton A. . . . June 28
Kaiser Jr., Charles B. . . . Dec. 14
Karr, Philip R. . . . April 30
Katterman, F. R. . . . Aug. 33
Krueger, Randall J. . . . Nov. 44
Lang, Martin . . . Jan. 30
Lawson, Lance P. . . . July 29
Lecey, Robert W. . . . March 39
Lee, Craig M. . . . Jan. 36
Lubetkin, S. A. . . . March 26
Luebke, Ted . . . June 40
Lynch, William O. . . . July 40
MacLeman, Everett L. . . . April 18, May 33
Maddock, Thomas S. . . . Oct. 39
Manwaring, James F. . . . April 40
Martin, Stephen R. . . . June 28
Masingale, Marilyn . . . April 30
Menke, Robert A. . . . June 42
Miller, Gerald R. . . . Feb. 16
Mishra, Bipin B. . . . March 21
Moore, Robert C. . . . June 44
Myrold, Clarence W. . . . Jan. 25
Nall, Arthur E. . . . Feb. 43
Nelson, John K. . . . March 21
Neubauer, Walter K. . . . May 60
New, J. C. . . . May 16
Nicolai, Bruno . . . July 37
Patter, Leo R. . . . July 40
Pettit, C. Gene . . . Dec. 32
Quandt, John G. . . . Aug. 26
Ralston, Doug . . . Oct. 30
Rice, Irvin M. . . . Sept. 60
Riddle, W. G. . . . July 42
Salo, John E. . . . Sept. 16
Sapinsky, Catherine P. . . . June 24, Aug. 28
Sarich, Rudolph S. . . . April 38
Schafer, Paul E. . . . Feb. 16
Schomaker, Bill . . . July 24
Shaer, Richard A. . . . June 19
Shifrin, Walter G. . . . Dec. 14
Sloan, David S. . . . March 16
Smith, Robert B. . . . April 30
Sorg, Thomas J. . . . Dec. 26
Sorrell, F. Y. . . . March 30
Stallworth Jr., T. E. . . . May 16
Sumrall, Hugh . . . July 24
Tharp, Edward L. . . . July 29
Trubl, U. R. N. . . . Sept. 46
Trumbull, Dale . . . Nov. 32
Turkeltaub, Robert . . . Oct. 48
Tusack-Gilmour, Donna . . . Sept. 22
Updike, Jay . . . Oct. 20
Van Den Berg, Lowell A. . . . April 40
van Dyke, Neil A. . . . Nov. 36
Vansant, Robert E. . . . Feb. 16
Vivona, Morris A. . . . Aug. 20
von Dohren, Ray . . . Sept. 74
Vondrick, Arthur R. . . . Sept. 58
Wann, David . . . April 36
Webb, John B. . . . Jan. 20
Wei, Norman S. . . . Feb. 54
Weimar, Robert A. . . . Feb. 30
Westerhoff, Garret P. . . . Jan. 16, Feb. 36
Williams, T. C. . . . Nov. 28
Willis, John F. . . . June 28
Wright, Robert R. . . . May 67
Wroniewicz, Vincent S. . . . May 70
Wyckoff, Bruce M. . . . Nov. 16
Zagars, Arvids . . . Oct. 16